

Certificate of Analysis

Sample Name: HEMPHERB GUMMIES

LIMS Sample ID: 190508T011

Batch #:

Sample Metrc ID:

Sample Type: Concentrate, Product Inhalable

Batch Count: Sample Count: Unit Mass: Serving Mass:

Density:

Moisture Test Results

Cannabinoid Test Results

05/24/2019

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

	•	mg	%	LOD mg/g	LOQ mg/g
THC		1.324	0.1324	0.052	0.158
THCa		ND	ND	0.052	0.156
CBD		971.924	97.1924	0.052	0.158
CBDa		ND	ND	0.052	0.156
CBN		ND	ND	0.052	0.157
CBDV		1.332	0.1332	0.021	0.063
CBDVa		ND	ND	0.037	0.111
CBG		4.967	0.4967	0.030	0.092
CBGa		ND	ND	0.044	0.133
THCV		ND	ND	0.023	0.069
Δ8 - THC		ND	ND	0.053	0.162
CBC		20.453	2.0453	0.031	0.094
THCVa		ND	ND	0.091	0.276
CBL		ND	ND	0.130	0.393
CBCa		ND	ND	0.129	0.392

Sum of Cannabinoids: 1000

Total THC (Δ9THC+0.877*THCa) 1.324 0.1324 Total CBD (CBD+0.877*CBDa) 971.924 97.1924

Action Limit mg

100

THC per Unit THC per Serving

Batch Photo

Date Collected: 05/23/2019 Date Received: 05/24/2019 Blue Triangle

License #: Address:

Tested for:

Produced by:

License #:

Address:

Overall result for batch:

Water Activity Test Results

Action Limit Aw

Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization mg/g

LOQ mg/g

Detection (GC - FID)

	NT	0.0	0.0
	NT		
Geraniol	NT		
	NT		
	NT		
	NT		
Menthol	NT		
Nerolidol	NT		
	NT		
Terpinene	NT		
2 Terpinene	NT		
	NT		
	NT		
Myrcene	NT		
	NT		
	NT		
2 Pinene	NT		
	NT		
	NT		
Total Terpene Concentra	ation: NT		

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Josh Wurzer, President

Scan to verify at sclabs.com
Sample must be marked as
SC Laboratories - C8-18-0000013-TEMP - 100 Pioneer Street, Santa Cruz, CA 95060

These results relate only to the itemater. Date: 05/24/2019 CoA ID: 190508T011-001 - Page 1 of 3 These results relate only to the items tested. This test report shall not be reproduced except in full, without written approval of the laboratory. The uncertainty of measurement associated with the measurement result reported in this certificate is available from SC Laboratories upon request.