## **CERTIFICATE OF ANALYSIS**



Golden Goat CBD Customer: 2701 NW 29th Ter

Fort Lauderdale, FL 33311

Batch #: GB0314

**Laboratory Number: ATL-10379** 

Report Issue Date: 11/22/2022

Order Date: 11/17/2022

Analysis Date: 11/21/2022

Extraction Technician: LL Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

LOQ

(mg/g)

< 0.01

**Analyte** 

9S-HHC

Results

mg/gummy

N/D

%

N/D

## **Sample Description:**

CBD Gummy 25mg

Unit Weight: 5.0192g / Gummy



## **CANNABINOID PROFILE**

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	c
CBDV-A	<0.06	N/D	N/D	THCV-A	<0.06	N/D	Ν
CBDV	<0.03	N/D	N/D	СВИ	<0.03	N/D	Ν
CBD-A	<0.03	N/D	N/D	D9-THC	<0.03	N/D	7
CBG-A	<0.03	N/D	N/D	D8-THC	<0.03	N/D	1
СВС	<0.02	N/D /	N/D	9R-D10-TH	C <0.02	N/D	1
CBD	<0.01	31.42	0.63	9S-D10-TH	<b>C</b> <0.02	N/D	I
тнсу	<0.01	N/D	N/D	9R-HHC	<0.01	N/D	1

X	XX		
СВС	<0.06	N/D	N/D
СВС-А	<0.03	N/D	N/D
THC-A	<0.03	N/D	N/D
D9-THCP	<0.03	N/D	N/D
D8-THCO	<0.02	N/D	N/D
D8-THCO	<0.02	N/D	N

1	Max Active THC	mg/gummy <b>N/</b> D	% N/D
	Max Active CBD	mg/gummy 31.42	% 0.63

Total Active	mg/gummy	%
Cannabinoids	31.42	0.63
Total	mg/gummy	%
Cannabinoids	31.42	0.63

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D9-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9R-HHC) 9R-Hexahydrocannabinol(9R-HHC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA) Delta-9-Tetrahydrocannabinol(9D-THCP) Delta-8-Tetrahydrocannabinol-O-Acetate (D8-THCO)

Document ID: ATL-225 Revision: 02 Effective Date:7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

