



Product identity: Select 500mg Unflavored Primary **Client/Metric ID:** .
Laboratory ID: 19-004088-0009 **Sample Date:** 04/12/19 11:50

Summary

Potency:

Analyte	Result	Limits	Units	LOQ	
CBD	1.79		%	0.0324	CBD-Total (%) 1.79 %
CBDV†	0.00676		%	0.0032	
Analyte per 1ml	Result	Limits	Units	LOQ	
CBD per 1ml	18.0		mg/1ml	0.0334	CBD-Total per 1ml 18.0 mg/1ml
CBDV per 1ml†	0.0678		mg/1ml	0.0334	
Analyte per 30ml	Result	Limits	Units	LOQ	
CBD per 30ml	539		mg/30ml	1.00	CBD-Total per 30ml 539 mg/30ml
CBDV per 30ml†	2.03		mg/30ml	1.00	Delta 9-THC (%) < 0.0032 %

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Can
1133 SE 82nd Ave.
Portland Oregon 97214
United States

Product identity: Select 500mg Unflavored Primary

Client/Metric ID: .

Sample Date: 04/12/19 11:50

Laboratory ID: 19-004088-0009

Temp: 20.9 °C

Relinquished by: Brian Ramos

Grower: AG-R046321LHH

Serving Size #2: 30.1 g

Serving Size #1: 1.003 g

Sample Results

Potency		Batch: 1903282					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBC-A [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBC-Total [†]	< LOQ		%	0.0063	04/17/19	J AOAC 2015 V98-6	
CBD	1.79		%	0.0324	04/17/19	J AOAC 2015 V98-6	
CBD-A	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBD-Total	1.79		%	0.0063	04/17/19	J AOAC 2015 V98-6	
CBDV [†]	0.00676		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBDV-A [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBDV-Total [†]	< LOQ		%	0.0062	04/17/19	J AOAC 2015 V98-6	
CBG [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBG-A [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBG-Total [†]	< LOQ		%	0.0063	04/17/19	J AOAC 2015 V98-6	
CBL [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBN	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
Δ8-THC [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
Δ9-THC	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THC-A	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THC-Total	< LOQ		%	0.0063	04/17/19	J AOAC 2015 V98-6	
THCV [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THCV-A [†]	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THCV-Total [†]	< LOQ		%	0.0062	04/17/19	J AOAC 2015 V98-6	



Potency per 1g				Batch: 1903282			
----------------	--	--	--	----------------	--	--	--

Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBC-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBC-Total per 1ml [†]	< LOQ		mg/1ml	0.0628	04/17/19	J AOAC 2015 V98-6	
CBD per 1ml	18.0		mg/1ml	0.0334	04/19/19	J AOAC 2015 V98-6	
CBD-A per 1ml	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBD-Total per 1ml	18.0		mg/1ml	0.0628	04/19/19	J AOAC 2015 V98-6	
CBDV per 1ml [†]	0.0678		mg/1ml	0.0334	04/19/19	J AOAC 2015 V98-6	
CBDV-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBDV-Total per 1ml [†]	0.0678		mg/1ml	0.0624	04/19/19	J AOAC 2015 V98-6	
CBG per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBG-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBG-Total per 1ml [†]	< LOQ		mg/1ml	0.0628	04/17/19	J AOAC 2015 V98-6	
CBL per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
CBN per 1ml	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
Δ8-THC per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
Δ9-THC per 1ml	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
THC-A per 1ml	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
THC-Total per 1ml	< LOQ		mg/1ml	0.0628	04/17/19	J AOAC 2015 V98-6	
THCV per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
THCV-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/17/19	J AOAC 2015 V98-6	
THCV-Total per 1ml [†]	< LOQ		mg/1ml	0.0624	04/17/19	J AOAC 2015 V98-6	

Potency per 30.1g				Batch: 1903282			
-------------------	--	--	--	----------------	--	--	--

Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBC-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBC-Total per 30ml [†]	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBD per 30ml	539		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBD-A per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBD-Total per 30ml	539		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBDV per 30ml [†]	2.03		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBDV-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBDV-Total per 30ml [†]	2.03		mg/30ml	1.87	04/19/19	J AOAC 2015 V98-6	
CBG per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBG-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBG-Total per 30ml [†]	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBL per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBN per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
Δ8-THC per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
Δ9-THC per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THC-A per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THC-Total per 30ml	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
THCV per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THCV-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THCV-Total per 30ml [†]	< LOQ		mg/30ml	1.87	04/19/19	J AOAC 2015 V98-6	



Solvents						Method EPA5021A	Units µg/g	Batch 1903194	Analyze 04/16/19 10:14 AM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass			
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200				
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass			
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200				
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0				
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass			
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass			
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass			
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass			
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass			
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass			
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200				
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass			
Methylpropane	< LOQ		200			n-Butane	< LOQ		200				
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0				
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200				
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass			
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass			
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass			



Pesticides					Method AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 1903259	Analyze 04/17/19 10:39 AM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes	
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass		
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass		
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass		
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass		
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass		
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass		
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass		
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass		
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass		
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass		
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass		
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass		
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass		
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass		
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass		
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass		
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass		
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass		
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass		
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass		
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass		
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass		
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass		
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass		
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass		
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass		
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass		
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass		
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass		
Trifloxystrobin	< LOQ	0.20	0.100	pass								



Product identity: Select 500mg Unflavored Dup
Laboratory ID: 19-004088-0010

Client/Metric ID: .
Sample Date: 04/12/19 11:50

Summary

Potency:

Analyte	Result	Limits	Units	LOQ	
CBD	1.76		%	0.0325	CBD-Total (%) 1.76 %
CBDV†	0.00673		%	0.0032	
Analyte per 1ml	Result	Limits	Units	LOQ	
CBD per 1ml	17.7		mg/1ml	0.0334	CBD-Total per 1ml 17.7 mg/1ml
CBDV per 1ml†	0.0675		mg/1ml	0.0334	
Analyte per 30ml	Result	Limits	Units	LOQ	
CBD per 30ml	530		mg/30ml	1.00	CBD-Total per 30ml 530 mg/30ml
CBDV per 30ml†	2.03		mg/30ml	1.00	
					Delta 9-THC (%) < 0.0032 %

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.



Customer: Cura Can
 1133 SE 82nd Ave.
 Portland Oregon 97214
 United States

Product identity: Select 500mg Unflavored Dup
Client/Metric ID: .
Sample Date: 04/12/19 11:50
Laboratory ID: 19-004088-0010
Temp: 20.9 °C
Relinquished by: Brian Ramos
Grower: AG-R046321LHH
Serving Size #2: 30.1 g
Serving Size #1: 1.003 g

Sample Results

Potency		Batch: 1903282					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBC-A†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBC-Total†	< LOQ		%	0.0063	04/18/19	J AOAC 2015 V98-6	
CBD	1.76		%	0.0325	04/17/19	J AOAC 2015 V98-6	
CBD-A	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBD-Total	1.76		%	0.0063	04/18/19	J AOAC 2015 V98-6	
CBDV†	0.00673		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBDV-A†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBDV-Total†	< LOQ		%	0.0062	04/18/19	J AOAC 2015 V98-6	
CBG†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBG-A†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBG-Total†	< LOQ		%	0.0063	04/18/19	J AOAC 2015 V98-6	
CBL†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
CBN	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
Δ8-THC†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
Δ9-THC	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THC-A	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THC-Total	< LOQ		%	0.0063	04/18/19	J AOAC 2015 V98-6	
THCV†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THCV-A†	< LOQ		%	0.0032	04/17/19	J AOAC 2015 V98-6	
THCV-Total†	< LOQ		%	0.0062	04/18/19	J AOAC 2015 V98-6	



Potency per 1g				Batch: 1903282			
----------------	--	--	--	----------------	--	--	--

Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBC-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBC-Total per 1ml [†]	< LOQ		mg/1ml	0.0628	04/18/19	J AOAC 2015 V98-6	
CBD per 1ml	17.7		mg/1ml	0.0334	04/19/19	J AOAC 2015 V98-6	
CBD-A per 1ml	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBD-Total per 1ml	17.7		mg/1ml	0.0628	04/19/19	J AOAC 2015 V98-6	
CBDV per 1ml [†]	0.0675		mg/1ml	0.0334	04/19/19	J AOAC 2015 V98-6	
CBDV-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBDV-Total per 1ml [†]	0.0675		mg/1ml	0.0624	04/19/19	J AOAC 2015 V98-6	
CBG per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBG-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBG-Total per 1ml [†]	< LOQ		mg/1ml	0.0628	04/18/19	J AOAC 2015 V98-6	
CBL per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
CBN per 1ml	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
Δ8-THC per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
Δ9-THC per 1ml	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
THC-A per 1ml	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
THC-Total per 1ml	< LOQ		mg/1ml	0.0628	04/18/19	J AOAC 2015 V98-6	
THCV per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
THCV-A per 1ml [†]	< LOQ		mg/1ml	0.0334	04/18/19	J AOAC 2015 V98-6	
THCV-Total per 1ml [†]	< LOQ		mg/1ml	0.0624	04/18/19	J AOAC 2015 V98-6	

Potency per 30.1g				Batch: 1903282			
-------------------	--	--	--	----------------	--	--	--

Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBC-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBC-Total per 30ml [†]	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBD per 30ml	530		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBD-A per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBD-Total per 30ml	530		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBDV per 30ml [†]	2.03		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBDV-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBDV-Total per 30ml [†]	2.03		mg/30ml	1.87	04/19/19	J AOAC 2015 V98-6	
CBG per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBG-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBG-Total per 30ml [†]	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
CBL per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
CBN per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
Δ8-THC per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
Δ9-THC per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THC-A per 30ml	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THC-Total per 30ml	< LOQ		mg/30ml	1.88	04/19/19	J AOAC 2015 V98-6	
THCV per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THCV-A per 30ml [†]	< LOQ		mg/30ml	1.00	04/19/19	J AOAC 2015 V98-6	
THCV-Total per 30ml [†]	< LOQ		mg/30ml	1.87	04/19/19	J AOAC 2015 V98-6	



Solvents						Method EPA5021A	Units µg/g	Batch 1903194	Analyze 04/16/19 10:14 AM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes		
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass			
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200				
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass			
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200				
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0				
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass			
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass			
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass			
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass			
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass			
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass			
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200				
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass			
Methylpropane	< LOQ		200			n-Butane	< LOQ		200				
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0				
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200				
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass			
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass			
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass			



Pesticides					Method AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 1903259	Analyze 04/17/19 10:39 AM			
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoxazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Flonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram

mg/1g = Milligram per 1g

mg/30.1g = Milligram per 30.1g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



Statistical Analysis:
Select 500mg Unflavored

	Analysis mg/g						
	CBD	CBD-A	CBD-Total	CBN	THC	THC-A	THC-Total
19-004088-0009	17.9	< 0.00324	17.9	< 0.00324	< 0.00324	< 0.00324	< 0.00626
19-004088-0010	17.6	< 0.00325	17.6	< 0.00325	< 0.00325	< 0.00325	< 0.00626
Average %	17.75	n/a	17.75	n/a	n/a	n/a	n/a
Stdev	0.150	0.000	0.150	0.000	0.000	0.000	0.000
%RPD	1.7%	0.0%	1.7%	0.0%	0.0%	0.0%	0.0%
Pass/Fail (<15%RPD)	n/a	n/a	n/a	n/a	n/a	n/a	n/a



12423 NE Whitaker Way
Portland OR, 97230
Phone: (503)254-1794 Fax: (503)254-1452

Cannabis Chain of Custody Record

Client Information		Purchase Order:	
Company: Cura CS		Project #: 19-004088	
Contact: Erin Harbacek		Project ID: 19-004088	
Address: 115 SE YAMHILL ST, PORTLAND OR		<input type="checkbox"/> - Send to State (METRC) &/or OHA	
Email: ehARBACEK@curacan.com		<input checked="" type="checkbox"/> - Email Final Results:	
Phone: (503)841-0112 Fax:			
Processor's License: AG-R1046321LHH		Bill to email/address:	

Sample #	PIXIS Sample ID	Lot#/METRC Tag ID#	Matrix	Product/Strain Name	Date Sampled	Sample Weight (g)	Pesticides - OR 59 Compounds	Pesticide Multi-Residue - 379 Compounds	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast & Mold	Micro: E.Coli & Total Coliform	Heavy Metals	Mycotoxins	Other
1	19-004088-0001		TINC	Select 1000mg Unflavored Primary	4/12/2019	15.84	✓	✓	✓	✓								
2	19-004088-0002		TINC	Select 1000mg Unflavored Dup	4/12/2019	15.68	✓	✓	✓	✓								
3	19-004088-0003		TINC	Select 1000mg Lavender Primary	4/12/2019	15.84	✓	✓	✓	✓								
4	19-004088-0004		TINC	Select 1000mg Lavender Dup	4/12/2019	19.04	✓	✓	✓	✓								
5	19-004088-0005		TINC	Select 1000mg Lemon Ginger Primary	4/12/2019	16.00	✓	✓	✓	✓								
6	19-004088-0006		TINC	Select 1000mg Lemon Ginger Dup	4/12/2019	16.00	✓	✓	✓	✓								
7	19-004088-0007		TINC	Select 1000mg Peppermint Primary	4/12/2019	16.16	✓	✓	✓	✓								
8	19-004088-0008		TINC	Select 1000mg Peppermint Dup	4/12/2019	16.16	✓	✓	✓	✓								
9	19-004088-0009		TINC	Select 500mg Unflavored Primary	4/12/2019	15.84	✓	✓	✓	✓								
10	19-004088-0010		TINC	Select 500mg Unflavored Dup	4/12/2019	16.00	✓	✓	✓	✓								
11	19-004088-0011		TINC	Select 500mg Lavender Primary	4/12/2019	15.84	✓	✓	✓	✓								
12	19-004088-0012		TINC	Select 500mg Lavender Dup	4/12/2019	16.00	✓	✓	✓	✓								
13	19-004088-0013		TINC	Select 500mg Lemon Ginger Primary	4/12/2019	16.00	✓	✓	✓	✓								
14	19-004088-0014		TINC	Select 500mg Lemon Ginger Dup	4/12/2019	17.12	✓	✓	✓	✓								
15	19-004088-0015		TINC	Select 500mg Peppermint Primary	4/12/2019	15.68	✓	✓	✓	✓								
16	19-004088-0016		TINC	Select 500mg Peppermint Dup	4/12/2019	16.16	✓	✓	✓	✓								

Revision: 3.1 Control#: CF002
Effective date: 09/21/2016 Revision Date:01/04/2018

www.pixislabs.com

Page 1 of 3



12423 NE Whitaker Way
Portland OR, 97230
Phone: (503)254-1794 Fax: (503)254-1452

Cannabis Chain of Custody Record

PIXIS Labs
Member of Tentamus
ORELAP ID: OR100028
OLCC license #: 1003224D558

Collected By:	Relinquished By:	Date	Time	Received By:	Date	Time	Labs Use Only:
<input checked="" type="checkbox"/> Standard 5 day	<i>[Signature]</i>	4/12/19	11:50	<i>[Signature]</i>	4/12/19	11:50	Client Alias: _____
<input type="checkbox"/> Rush (1.5 x Standard)	<i>[Signature]</i>	4.12.19	12:17	<i>[Signature]</i>	4.12.19	11:50	Order Number: _____
<input type="checkbox"/> Priority Rush (2 x Standard)							<input type="checkbox"/> Proper Container
Ask About Availability							<input type="checkbox"/> Sample Condition
							<input checked="" type="checkbox"/> Temperature: 20.9 °C
							<input type="checkbox"/> Shipped Via: _____
							Evidence of cooling: <input type="checkbox"/> Yes <input type="checkbox"/> No

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE LAST PAGE OF THIS FORM



12423 NE Whitaker Way
Portland OR, 97230
Phone: (503)254-1794 Fax: (503)254-1452

Cannabis Chain of Custody Record

PIXIS Labs
Member of Tentamus
ORELAP ID: OR100028
OLCC license #: 1003224D558

Chain of Custody Instructions	
REPORT ATTENTION -	Name of the person who receives the labs report
CUSTOMER NAME -	Name of the company or individual requesting the analysis.
MAILING ADDRESS -	Address of the customer to which the labs report and billings should be sent.
REPORT INSTRUCTIONS -	A brief description of any special mail or transmittal instruction or address information pertaining to extra report copies.
PROJECT NAME -	Applies to customer project name.
PROJECT NUMBER -	Applies only to samples submitted by the customer for its internal identification purposes.
REPORTING REQUEST STATE COMPLIANCE	Applies to all samples MUST BE CHECKED FOR ALL COMPLIANCE WORK REQUESTED for reporting to METRC
SAMPLE ID -	A short description of the sample point and material to be analyzed. This description will appear on the report.
COLLECTION DATE -	The date on which the sample(s) was/were collected.
COLLECTION TIME -	The time at which the sample(s) was/were collected.
MEDIA -	This is a description of the sample media (e.g., drinking water, waste water, soil, etc.)
ANALYSIS REQUESTED -	Use one line for each analysis or group of analyses associated to a specific bottle or container.
SAMPLE COLLECTED BY -	The person who collected the sample(s) signs here.
RELINQUISHED BY -	The sampler signs this box when he/she gives the sample to someone else, and then fills in the date/time the sample left his/her possession, etc.
RECEIVED BY -	The person who receives the sample(s) signs here and fills in the date/time received. The date and time should be same as "Relinquished by" unless the sample(s) was shipped.
JOB OR SAMPLE REMARKS -	General sample or job remarks such as high concentrations, or hazardous content.
AUTHORIZED CUSTOMER SIGNATURE -	Form must be signed by authorized representative of customer.

TERMS AND CONDITION	
<p>PRICING AND CHARGES - Prices to be charged for work performed for CUSTOMER are those currently published in the PIXIS LABS, LLC (PIXIS) standard price book unless otherwise agreed in writing by the CUSTOMER and PIXIS. CUSTOMER must notify PIXIS of price quotation at the time of the transfer of sample(s) to PIXIS. Any cancellation of testing requirements will result in charges being assessed on all testing completed prior to the notice of cancellation. Unless otherwise agreed upon, samples containing hazardous material, will be shipped back to client at their expense, or disposed of at a certain fee, waste category dependent.</p> <p>DELIVERY AND LIABILITY LIMITATIONS The specific format of the goods will be defined by CUSTOMER to PIXIS upon delivery of the sample(s) to PIXIS. PIXIS will analyze samples provided by CUSTOMER as requested by CUSTOMER in accordance with the procedures documented in the PIXIS Quality Assurance Plan (QAP). Samples are retained for 15-days. If additional time is desired, then a written request is required and an additional monthly fee will apply.</p> <p>CONFIDENTIALITY - PIXIS will use its best efforts to treat all information regarding work performed for CUSTOMER as proprietary and confidential. No CUSTOMER information will be released to third persons without the written request of the CUSTOMER.</p> <p>LIMITATION OF LIABILITY AND WARRANTY PIXIS gives no warranty, express or implied, or of fitness for a particular purpose, in connection with its analytical testing or reporting. Any liability of PIXIS to CUSTOMER or any third party shall be limited to the cost of analysis charged to CUSTOMER.</p> <p>PAST DUE ACCOUNTS Credit line account are payable within 30 days. Accounts that are past 60 days will incur 1% per month on all sums past due until paid in full. Customer agrees to pay the interest as a service charge and all of PIXIS's collection costs, including reasonable attorney fees.</p> <p>EXPERT TESTIMONY AND COURT APPEARANCES In the event CUSTOMER requires the further written opinion or testimony of any employee of PIXIS, including response to a subpoena issued by CUSTOMER or any third person, CUSTOMER agrees to pay such additional fees and expenses as may be reasonably assessed by PIXIS.</p> <p>ALTERNATIVE DISPUTE RESOLUTION (ADR) Any disputes arising out of this Agreement or the analytical testing or reporting of PIXIS shall be settled through mediation and/or arbitration rather than litigation, and the cost of the ADR shall be borne equally by both parties.</p> <p>APPLICABLE LAW Legal matters arising from work performed by PIXIS for CUSTOMER will be construed and interpreted in accordance with the laws for the state of Oregon.</p>	



PIXIS Labs
Division of Tentamus

Sampling Record/Field Data

150-18-B45, R5
Revision Date: 02/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbacek
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Limits	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	(+/-10%)	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	(+/-0.5%)	50.00	Acceptable	50.00	Acceptable

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)			
Bucket	0	TINC	ect 1000mg Unflavored Prim	1/0/1900	46.10			
	Product Temp @	# of containers	# of increments	primary sample (ml)				
	18.9	1	16	1.00				
Increment Log								
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetricID
19-004088-0001	10ml Vial	C1	t1	26.22	1.0	27.21	0.99	
19-004088-0001	10ml Vial	C1	t3		1.0		0.99	
19-004088-0001	10ml Vial	C1	m3		1.0		0.99	
19-004088-0001	10ml Vial	C1	m4		1.0		0.99	
19-004088-0001	10ml Vial	C1	t3		1.0		0.99	
19-004088-0001	10ml Vial	C1	t2		1.0		0.99	
19-004088-0001	10ml Vial	C1	m2		1.0		0.99	
19-004088-0001	10ml Vial	C1	m4		1.0		0.99	
19-004088-0001	10ml Vial	C1	t3		1.0		0.99	
19-004088-0001	10ml Vial	C1	m1		1.0		0.99	
19-004088-0001	10ml Vial	C1	b1		1.0		0.99	
19-004088-0001	10ml Vial	C1	t3		1.0		0.99	
19-004088-0001	10ml Vial	C1	b2		1.0		0.99	
19-004088-0001	10ml Vial	C1	m2		1.0		0.99	
19-004088-0001	10ml Vial	C1	b3		1.0		0.99	
19-004088-0001	10ml Vial	C1	t3		1.0		0.99	
Totals					16.0		15.84	
Observations:		batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities		No	No	No	No	No	No	No
Comments:								
Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)			
Bucket	0	TINC	ect 1000mg Unflavored Du	1/0/1900	46.10			
	Product Temp @	# of containers	# of increments	primary sample (ml)				
	18.9	1	16	1.00				
Increment Log								
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetricID
19-004088-0002	10ml Vial	C1	b4	26.27	1.0	27.25	0.98	
19-004088-0002	10ml Vial	C1	t3		1.0		0.98	
19-004088-0002	10ml Vial	C1	b2		1.0		0.98	
19-004088-0002	10ml Vial	C1	m2		1.0		0.98	
19-004088-0002	10ml Vial	C1	m1		1.0		0.98	
19-004088-0002	10ml Vial	C1	b1		1.0		0.98	
19-004088-0002	10ml Vial	C1	m2		1.0		0.98	
19-004088-0002	10ml Vial	C1	b3		1.0		0.98	
19-004088-0002	10ml Vial	C1	m3		1.0		0.98	
19-004088-0002	10ml Vial	C1	m3		1.0		0.98	
19-004088-0002	10ml Vial	C1	m1		1.0		0.98	
19-004088-0002	10ml Vial	C1	b1		1.0		0.98	
19-004088-0002	10ml Vial	C1	t2		1.0		0.98	
19-004088-0002	10ml Vial	C1	m2		1.0		0.98	
19-004088-0002	10ml Vial	C1	t4		1.0		0.98	
19-004088-0002	10ml Vial	C1	b3		1.0		0.98	
Totals					16.0		15.68	
Observations:		batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities		No	No	No	No	No	No	No
Comments:								
Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)			
Bucket	0	TINC	ect 1000mg Lavender Prim	1/0/1900	45.74			
	Product Temp @	# of containers	# of increments	primary sample (ml)				
	18.9	1	16	1.00				
Increment Log								
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetricID
19-004088-0003	10ml Vial	C1	b1	25.62	1.0	26.61	0.99	
19-004088-0003	10ml Vial	C1	b1		1.0		0.99	
19-004088-0003	10ml Vial	C1	b3		1.0		0.99	
19-004088-0003	10ml Vial	C1	m2		1.0		0.99	
19-004088-0003	10ml Vial	C1	b2		1.0		0.99	
19-004088-0003	10ml Vial	C1	m1		1.0		0.99	
19-004088-0003	10ml Vial	C1	t4		1.0		0.99	
19-004088-0003	10ml Vial	C1	m3		1.0		0.99	
19-004088-0003	10ml Vial	C1	m2		1.0		0.99	
19-004088-0003	10ml Vial	C1	b1		1.0		0.99	
19-004088-0003	10ml Vial	C1	t4		1.0		0.99	
19-004088-0003	10ml Vial	C1	m3		1.0		0.99	
19-004088-0003	10ml Vial	C1	m2		1.0		0.99	
19-004088-0003	10ml Vial	C1	t3		1.0		0.99	
19-004088-0003	10ml Vial	C1	t1		1.0		0.99	
19-004088-0003	10ml Vial	C1	t4		1.0		0.99	
Totals					16.0		15.84	
Observations:		batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure

OLCC license #: 1003224D558
ORELAP#: OR100028

www.Pixislabs.com

Page1 of 7



PIXIS Labs
Division of Tentamus

Sampling Record/Field Data

150-18-845_R5
Revision Date: 02/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harback
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Limits	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	(+/-10%)	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	(+/-0.5%)	50.00	Acceptable	50.00	Acceptable
	No	No	No	No	No	No

Note any inconsistencies or abnormalities: _____

Comments: _____

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Bucket		TINC	Select 1000mg Lavender Dur	1/0/1900	45.74
	Product Temp ID	# of containers	# of increments	primary sample (ml)	
	18.9	1	16	1.00	

Increment Log

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0004	10ml Vial	C1	b2	26.03	1.0	27.22	1.19	
19-004088-0004	10ml Vial	C1	b2		1.0		1.19	
19-004088-0004	10ml Vial	C1	t1		1.0		1.19	
19-004088-0004	10ml Vial	C1	b1		1.0		1.19	
19-004088-0004	10ml Vial	C1	t2		1.0		1.19	
19-004088-0004	10ml Vial	C1	m3		1.0		1.19	
19-004088-0004	10ml Vial	C1	m1		1.0		1.19	
19-004088-0004	10ml Vial	C1	m2		1.0		1.19	
19-004088-0004	10ml Vial	C1	b4		1.0		1.19	
19-004088-0004	10ml Vial	C1	m2		1.0		1.19	
19-004088-0004	10ml Vial	C1	t3		1.0		1.19	
19-004088-0004	10ml Vial	C1	m2		1.0		1.19	
19-004088-0004	10ml Vial	C1	m3		1.0		1.19	
19-004088-0004	10ml Vial	C1	t2		1.0		1.19	
19-004088-0004	10ml Vial	C1	m4		1.0		1.19	
19-004088-0004	10ml Vial	C1	b1		1.0		1.19	
Totals					16.0		19.04	

Observations: _____

Note any inconsistencies or abnormalities: _____

Comments: _____

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Bucket		TINC	Select 1000mg Lemon Ginger Pri	1/0/1900	47.03
	Product Temp ID	# of containers	# of increments	primary sample (ml)	
	18.9	1	16	1.00	

Increment Log

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0005	10ml Vial	C1	m2	26.20	1.0	27.20	1.00	
19-004088-0005	10ml Vial	C1	t4		1.0		1.00	
19-004088-0005	10ml Vial	C1	m2		1.0		1.00	
19-004088-0005	10ml Vial	C1	b4		1.0		1.00	
19-004088-0005	10ml Vial	C1	b3		1.0		1.00	
19-004088-0005	10ml Vial	C1	t4		1.0		1.00	
19-004088-0005	10ml Vial	C1	t4		1.0		1.00	
19-004088-0005	10ml Vial	C1	b1		1.0		1.00	
19-004088-0005	10ml Vial	C1	m4		1.0		1.00	
19-004088-0005	10ml Vial	C1	b3		1.0		1.00	
19-004088-0005	10ml Vial	C1	t4		1.0		1.00	
19-004088-0005	10ml Vial	C1	t3		1.0		1.00	
19-004088-0005	10ml Vial	C1	m3		1.0		1.00	
19-004088-0005	10ml Vial	C1	m2		1.0		1.00	
19-004088-0005	10ml Vial	C1	b2		1.0		1.00	
Totals					16.0		16.00	

Observations: _____

Note any inconsistencies or abnormalities: _____

Comments: _____

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Bucket		TINC	Select 1000mg Lemon Ginger D	1/0/1900	47.03
	Product Temp ID	# of containers	# of increments	primary sample (ml)	
	18.9	1	16	1.00	

Increment Log

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0006	10ml Vial	C1	m4	26.66	1.0	27.66	1.00	
19-004088-0006	10ml Vial	C1	b2		1.0		1.00	
19-004088-0006	10ml Vial	C1	t4		1.0		1.00	
19-004088-0006	10ml Vial	C1	b4		1.0		1.00	
19-004088-0006	10ml Vial	C1	t2		1.0		1.00	
19-004088-0006	10ml Vial	C1	t3		1.0		1.00	
19-004088-0006	10ml Vial	C1	b1		1.0		1.00	
19-004088-0006	10ml Vial	C1	t2		1.0		1.00	
19-004088-0006	10ml Vial	C1	b2		1.0		1.00	
19-004088-0006	10ml Vial	C1	t3		1.0		1.00	

OLCC license #: 1003224D558
ORELAP#: OR100028

www.Pixislabs.com

Page2 of 7



Job Number: 19-004088
Report Number: 19-004088-00
Report Date: 04/19/2019
ORELAP#: OR100028
Purchase Order:
Received: 04/12/19 12:17

PIXIS Labs
Member of Tentamus

Sampling Record/Field Data

150-18-845, R5
Revision Date: 02/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbeck
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Limits	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	(+/-10%)	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	(+/-0.5%)	50.00	Acceptable	50.00	Acceptable

19-004088-0006	10ml Vial	C1	b2		1.0		1.00
19-004088-0006	10ml Vial	C1	t4		1.0		1.00
19-004088-0006	10ml Vial	C1	b3		1.0		1.00
19-004088-0006	10ml Vial	C1	m1		1.0		1.00
19-004088-0006	10ml Vial	C1	b2		1.0		1.00
19-004088-0006	10ml Vial	C1	b4		1.0		1.00
Totals							16.00

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No

Comments:

Container type	Batch # Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Buckets		Elect 1000mg	Peppermint Prime	1/0/1900	47.61

Product Temp (°C)	# of containers	# of Increments	primary sample (ml)
19.1	1	16	1.00

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0007	10ml Vial	C1	t1	26.01	1.0	27.02	1.01	
19-004088-0007	10ml Vial	C1	t2		1.0		1.01	
19-004088-0007	10ml Vial	C1	t4		1.0		1.01	
19-004088-0007	10ml Vial	C1	t2		1.0		1.01	
19-004088-0007	10ml Vial	C1	b1		1.0		1.01	
19-004088-0007	10ml Vial	C1	t1		1.0		1.01	
19-004088-0007	10ml Vial	C1	m4		1.0		1.01	
19-004088-0007	10ml Vial	C1	m4		1.0		1.01	
19-004088-0007	10ml Vial	C1	m1		1.0		1.01	
19-004088-0007	10ml Vial	C1	m1		1.0		1.01	
19-004088-0007	10ml Vial	C1	b3		1.0		1.01	
19-004088-0007	10ml Vial	C1	t1		1.0		1.01	
19-004088-0007	10ml Vial	C1	m3		1.0		1.01	
19-004088-0007	10ml Vial	C1	t4		1.0		1.01	
19-004088-0007	10ml Vial	C1	b2		1.0		1.01	
Totals						16.0	16.16	

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No

Comments:

Container type	Batch # Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Buckets		Elect 1000mg	Peppermint Prime	1/0/1900	47.61

Product Temp (°C)	# of containers	# of Increments	primary sample (ml)
19.1	1	16	1.00

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0008	10ml Vial	C1	m3	26.03	1.0	27.04	1.01	
19-004088-0008	10ml Vial	C1	m3		1.0		1.01	
19-004088-0008	10ml Vial	C1	m1		1.0		1.01	
19-004088-0008	10ml Vial	C1	b3		1.0		1.01	
19-004088-0008	10ml Vial	C1	m3		1.0		1.01	
19-004088-0008	10ml Vial	C1	b1		1.0		1.01	
19-004088-0008	10ml Vial	C1	t3		1.0		1.01	
19-004088-0008	10ml Vial	C1	t4		1.0		1.01	
19-004088-0008	10ml Vial	C1	b3		1.0		1.01	
19-004088-0008	10ml Vial	C1	b4		1.0		1.01	
19-004088-0008	10ml Vial	C1	t1		1.0		1.01	
19-004088-0008	10ml Vial	C1	m1		1.0		1.01	
19-004088-0008	10ml Vial	C1	b2		1.0		1.01	
19-004088-0008	10ml Vial	C1	b2		1.0		1.01	
19-004088-0008	10ml Vial	C1	m2		1.0		1.01	
19-004088-0008	10ml Vial	C1	t3		1.0		1.01	
Totals						16.0	16.16	

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No

Comments:

Container type	Batch # Lot # or METRC ID	Product type	Strain ID	Harvest/Prod. Date	Batch size (lbs.)
Buckets		Elect 500mg	Unflavored Prime	1/0/1900	47.99

Product Temp (°C)	# of containers	# of Increments	primary sample (ml)
19.1	1	16	1.00

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0009	10ml Vial	C1	t1	26.13	1.0	27.12	0.99	
19-004088-0009	10ml Vial	C1	b4		1.0		0.99	

OLCC license #: 1003224D558
ORELAP#: OR100028

www.Pixislabs.com

Page3 of 7



PIXIS Labs
Member of Tentamus

Sampling Record/Field Data

150-18-845, R5
Revision Date: 03/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbacek
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Limits	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	(+/-10%)	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	(+/-0.5%)	50.00	Acceptable	50.00	Acceptable

19-004088-0009	10ml Vial	C1	b3	1.0		0.99
19-004088-0009	10ml Vial	C1	b2	1.0		0.99
19-004088-0009	10ml Vial	C1	m1	1.0		0.99
19-004088-0009	10ml Vial	C1	m1	1.0		0.99
19-004088-0009	10ml Vial	C1	m1	1.0		0.99
19-004088-0009	10ml Vial	C1	t1	1.0		0.99
19-004088-0009	10ml Vial	C1	t2	1.0		0.99
19-004088-0009	10ml Vial	C1	t2	1.0		0.99
19-004088-0009	10ml Vial	C1	m4	1.0		0.99
19-004088-0009	10ml Vial	C1	t2	1.0		0.99
19-004088-0009	10ml Vial	C1	b1	1.0		0.99
19-004088-0009	10ml Vial	C1	m3	1.0		0.99
19-004088-0009	10ml Vial	C1	m2	1.0		0.99
Totals				16.0		15.84

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:							

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)
Bucket		TINC	Select 500mg Unflavored Du	1/0/1900	47.99
Product Temp (°C)	# of containers	# of increments	primary sample (ml)		
19.1	1	16			

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0010	10ml Vial	C1	m4	25.95	1.0	26.95	1.00	
19-004088-0010	10ml Vial	C1	b4		1.0		1.00	
19-004088-0010	10ml Vial	C1	b3		1.0		1.00	
19-004088-0010	10ml Vial	C1	m3		1.0		1.00	
19-004088-0010	10ml Vial	C1	m1		1.0		1.00	
19-004088-0010	10ml Vial	C1	t2		1.0		1.00	
19-004088-0010	10ml Vial	C1	m1		1.0		1.00	
19-004088-0010	10ml Vial	C1	m4		1.0		1.00	
19-004088-0010	10ml Vial	C1	t2		1.0		1.00	
19-004088-0010	10ml Vial	C1	m3		1.0		1.00	
19-004088-0010	10ml Vial	C1	t2		1.0		1.00	
19-004088-0010	10ml Vial	C1	t4		1.0		1.00	
19-004088-0010	10ml Vial	C1	t1		1.0		1.00	
19-004088-0010	10ml Vial	C1	t1		1.0		1.00	
19-004088-0010	10ml Vial	C1	b2		1.0		1.00	
19-004088-0010	10ml Vial	C1	b4		1.0		1.00	
Totals						16.0		

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:							

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)
Bucket		TINC	Select 500mg Lavender Prima	1/0/1900	45.92
Product Temp (°C)	# of containers	# of increments	primary sample (ml)		
18.9	1	16			

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0011	10ml Vial	C1	t3	25.96	1.0	26.95	0.99	
19-004088-0011	10ml Vial	C1	m3		1.0		0.99	
19-004088-0011	10ml Vial	C1	m2		1.0		0.99	
19-004088-0011	10ml Vial	C1	t1		1.0		0.99	
19-004088-0011	10ml Vial	C1	t2		1.0		0.99	
19-004088-0011	10ml Vial	C1	t1		1.0		0.99	
19-004088-0011	10ml Vial	C1	t4		1.0		0.99	
19-004088-0011	10ml Vial	C1	m3		1.0		0.99	
19-004088-0011	10ml Vial	C1	t4		1.0		0.99	
19-004088-0011	10ml Vial	C1	t3		1.0		0.99	
19-004088-0011	10ml Vial	C1	t4		1.0		0.99	
19-004088-0011	10ml Vial	C1	m4		1.0		0.99	
19-004088-0011	10ml Vial	C1	t1		1.0		0.99	
19-004088-0011	10ml Vial	C1	m3		1.0		0.99	
19-004088-0011	10ml Vial	C1	b2		1.0		0.99	
19-004088-0011	10ml Vial	C1	b3		1.0		0.99	
Totals						16.0		

Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:							

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)
Bucket		TINC	Select 500mg Lavender Dup	1/0/1900	45.92



PIXIS Labs
Member of Tentamus

Sampling Record/Field Data

150-18-045_R5
Revision Date: 02/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbeck
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)		Serial #	Acceptance Limits		Initial Measured		Initial Result	Final Measured		Final Result
0.10		CFL-000502	(+/-10%)		0.09		Acceptable	0.09		Acceptable
50.00		CFL-000499	(+/-0.5%)		50.00		Acceptable	50.00		Acceptable
Product Temp °C		# of containers	# of Increments	primary sample (ml)						
18.9		1	16	1.00						
Increment Log										
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID		
19-004088-0012	10ml Vial	C1	m1	25.97	1.0	26.97	1.00			
19-004088-0012	10ml Vial	C1	t2		1.0		1.00			
19-004088-0012	10ml Vial	C1	b4		1.0		1.00			
19-004088-0012	10ml Vial	C1	b1		1.0		1.00			
19-004088-0012	10ml Vial	C1	t3		1.0		1.00			
19-004088-0012	10ml Vial	C1	m2		1.0		1.00			
19-004088-0012	10ml Vial	C1	b1		1.0		1.00			
19-004088-0012	10ml Vial	C1	m1		1.0		1.00			
19-004088-0012	10ml Vial	C1	m2		1.0		1.00			
19-004088-0012	10ml Vial	C1	m3		1.0		1.00			
19-004088-0012	10ml Vial	C1	b3		1.0		1.00			
19-004088-0012	10ml Vial	C1	t1		1.0		1.00			
19-004088-0012	10ml Vial	C1	t4		1.0		1.00			
19-004088-0012	10ml Vial	C1	m3		1.0		1.00			
19-004088-0012	10ml Vial	C1	t1		1.0		1.00			
19-004088-0012	10ml Vial	C1	t3		1.0		1.00			
Totals					16.0		16.00			
Observations:		batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure		
Note any inconsistencies or abnormalities		No	No	No	No	No	No	No		
Comments:										
Container type	Batch #,Lot # or METRC ID		Product type	Strain ID	Harvest/Prod Date		Batch size (lbs.)			
Bucket			TINC	ect 500mg Lemon Ginger Pr	1/0/1900		46.43			
Product Temp °C		# of containers	# of Increments	primary sample (ml)						
19.2		1	16	1.00						
Increment Log										
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID		
19-004088-0013	10ml Vial	C1	t2	25.96	1.0	26.96	1.00			
19-004088-0013	10ml Vial	C1	t1		1.0		1.00			
19-004088-0013	10ml Vial	C1	t1		1.0		1.00			
19-004088-0013	10ml Vial	C1	t1		1.0		1.00			
19-004088-0013	10ml Vial	C1	t4		1.0		1.00			
19-004088-0013	10ml Vial	C1	b2		1.0		1.00			
19-004088-0013	10ml Vial	C1	t1		1.0		1.00			
19-004088-0013	10ml Vial	C1	m2		1.0		1.00			
19-004088-0013	10ml Vial	C1	m4		1.0		1.00			
19-004088-0013	10ml Vial	C1	b1		1.0		1.00			
19-004088-0013	10ml Vial	C1	t1		1.0		1.00			
19-004088-0013	10ml Vial	C1	m3		1.0		1.00			
19-004088-0013	10ml Vial	C1	t4		1.0		1.00			
19-004088-0013	10ml Vial	C1	m3		1.0		1.00			
19-004088-0013	10ml Vial	C1	m1		1.0		1.00			
19-004088-0013	10ml Vial	C1	m1		1.0		1.00			
Totals					16.0		16.00			
Observations:		batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure		
Note any inconsistencies or abnormalities		No	No	No	No	No	No	No		
Comments:										
Container type	Batch #,Lot # or METRC ID		Product type	Strain ID	Harvest/Prod Date		Batch size (lbs.)			
Bucket			TINC	ect 500mg Lemon Ginger D	1/0/1900		46.43			
Product Temp °C		# of containers	# of Increments	primary sample (ml)						
19.2		1	16	1.00						
Increment Log										
Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID		
19-004088-0014	10ml Vial	C1	b3	25.80	1.0	26.87	1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	m2		1.0		1.07			
19-004088-0014	10ml Vial	C1	t4		1.0		1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	m2		1.0		1.07			
19-004088-0014	10ml Vial	C1	m1		1.0		1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	t1		1.0		1.07			
19-004088-0014	10ml Vial	C1	b4		1.0		1.07			
19-004088-0014	10ml Vial	C1	t3		1.0		1.07			
19-004088-0014	10ml Vial	C1	m2		1.0		1.07			
19-004088-0014	10ml Vial	C1	b3		1.0		1.07			
19-004088-0014	10ml Vial	C1	t1		1.0		1.07			

OLCC license #: 10032240558
ORELAP#: OR100028

www.Pixislabs.com

Page 5 of 7



PIXIS Labs
Member of Tentamus

Sampling Record/Field Data

159-18-B45, R5
Revision Date: 02/21/17
Effective Date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbacek
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Limits	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	(+/-10%)	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	(+/-0.5%)	50.00	Acceptable	50.00	Acceptable

Totals	Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
	Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:								

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)
Bucket		TINC	ect 500mg Peppermint Prim	1/0/1900	46.16
	Product Temp °C	# of containers	# of Increments	primary sample (ml)	
	19.0	1	16	1.00	

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0015	10ml Vial	C1	b4	26.18	1.0	27.16	0.98	
19-004088-0015	10ml Vial	C1	t2		1.0		0.98	
19-004088-0015	10ml Vial	C1	m4		1.0		0.98	
19-004088-0015	10ml Vial	C1	t4		1.0		0.98	
19-004088-0015	10ml Vial	C1	m1		1.0		0.98	
19-004088-0015	10ml Vial	C1	t1		1.0		0.98	
19-004088-0015	10ml Vial	C1	t2		1.0		0.98	
19-004088-0015	10ml Vial	C1	b1		1.0		0.98	
19-004088-0015	10ml Vial	C1	b1		1.0		0.98	
19-004088-0015	10ml Vial	C1	m2		1.0		0.98	
19-004088-0015	10ml Vial	C1	m4		1.0		0.98	
19-004088-0015	10ml Vial	C1	m2		1.0		0.98	
19-004088-0015	10ml Vial	C1	m2		1.0		0.98	
19-004088-0015	10ml Vial	C1	b3		1.0		0.98	
19-004088-0015	10ml Vial	C1	b3		1.0		0.98	
19-004088-0015	10ml Vial	C1	t1		1.0		0.98	
Totals						16.0	15.68	

Totals	Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
	Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:								

Container type	Batch #, Lot # or METRC ID	Product type	Strain ID	Harvest/Prod Date	Batch size (lbs.)
Bucket		TINC	ect 500mg Peppermint Du	1/0/1900	46.16
	Product Temp °C	# of containers	# of Increments	primary sample (ml)	
	19.0	1	16	1.00	

Increment ID #1 ID	Sample Media	Container ID	Inc. Zone	Media Wt. (g)	Vol. Sample (ml)	Wt. Inc. & Media (g)	Sample Weight	MetrcID
19-004088-0016	10ml Vial	C1	m3	26.30	1.0	27.31	1.01	
19-004088-0016	10ml Vial	C1	m2		1.0		1.01	
19-004088-0016	10ml Vial	C1	t2		1.0		1.01	
19-004088-0016	10ml Vial	C1	b2		1.0		1.01	
19-004088-0016	10ml Vial	C1	t4		1.0		1.01	
19-004088-0016	10ml Vial	C1	t4		1.0		1.01	
19-004088-0016	10ml Vial	C1	t2		1.0		1.01	
19-004088-0016	10ml Vial	C1	b2		1.0		1.01	
19-004088-0016	10ml Vial	C1	t1		1.0		1.01	
19-004088-0016	10ml Vial	C1	b1		1.0		1.01	
19-004088-0016	10ml Vial	C1	m4		1.0		1.01	
19-004088-0016	10ml Vial	C1	m1		1.0		1.01	
19-004088-0016	10ml Vial	C1	b1		1.0		1.01	
19-004088-0016	10ml Vial	C1	m4		1.0		1.01	
19-004088-0016	10ml Vial	C1	t4		1.0		1.01	
19-004088-0016	10ml Vial	C1	t2		1.0		1.01	
Totals						16.0	16.16	

Totals	Observations:	batch numbers	marks/labels	container types/sizes	Uniform	plant colors	Shape & Size	Plan or Procedure
	Note any inconsistencies or abnormalities	No	No	No	No	No	No	No
Comments:								

Sampled By: BOR
Date: 4.12.19
Time: 1150

Accepted By: [Signature]
Date: 4/12/19
Time: 11:50 p



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Job Number: 19-004088
Report Number: 19-004088-00
Report Date: 04/19/2019
ORELAP#: OR100028
Purchase Order:
Received: 04/12/19 12:17



Sampling Record/Field Data

150-18-845_R5
Revision Date: 02/21/17
Effective date: 09/20/16

Processor/Client: Cura CS
Location: 931 NE Columbia Blvd Portland Oregon
OLCC License#: AG-R1046321LHH
Requester: Erin Harbacek
SOP: C913_Extracts and Concentrate Sampling_R2.00

Date: 4/12/2019
Sampler: Brian Ramos
Sampling Event/Project ID: 19-004088
Balance ID: B-21
Thermometer ID: CFL-000494

Weight Used (g)	Serial #	Acceptance Units	Initial Measured	Initial Result	Final Measured	Final Result
0.10	CFL-000502	±0.5%	0.09	Acceptable	0.09	Acceptable
50.00	CFL-000499	±0.5%	50.00	Acceptable	50.00	Acceptable

OLCC license #: 1003224D558
ORELAP#: OR100028

www.Pixislabs.com

Page7 of 7



Job Number: 19-004088
Report Number: 19-004088-00
Report Date: 04/19/2019
ORELAP#: OR100028
Purchase Order:
Received: 04/12/19 12:17

Laboratory Quality Control Results

EPA 5021				Batch ID: 1903194					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		1920	1950	µg/g	98.5	70 - 130	
Isobutane	ND	< 200		2380	2570	µg/g	92.6	70 - 130	
Butane	ND	< 200		2400	2570	µg/g	93.4	70 - 130	
2,2-dimethylpropane	ND	< 200		3150	3190	µg/g	98.7	70 - 130	
Methanol	ND	< 200		1950	2090	µg/g	93.3	70 - 130	
Ethylene Oxide	ND	< 30		181	193	µg/g	93.8	70 - 130	
2-Methylbutane	ND	< 200		1890	2130	µg/g	88.7	70 - 130	
n-Pentane	ND	< 200		1910	2090	µg/g	91.4	70 - 130	
Ethanol	ND	< 200		1900	2100	µg/g	90.5	70 - 130	
Ethyl Ether	ND	< 200		1910	2130	µg/g	89.7	70 - 130	
2,2-Dimethylbutane	ND	< 30		483	542	µg/g	89.1	70 - 130	
Acetone	ND	< 200		1920	2080	µg/g	92.3	70 - 130	
Isopropyl alcohol	ND	< 200		1910	2080	µg/g	91.8	70 - 130	
Acetonitrile	ND	< 100		707	804	µg/g	87.9	70 - 130	
2,3-Dimethylbutane	ND	< 30		229	265	µg/g	86.4	70 - 130	
Dichloromethane	ND	< 200		719	829	µg/g	86.7	70 - 130	
2-Methylpentane	ND	< 30		227	256	µg/g	88.7	70 - 130	
3-Methylpentane	ND	< 30		236	275	µg/g	85.8	70 - 130	
Hexane	ND	< 30		226	260	µg/g	86.9	70 - 130	
Ethyl acetate	ND	< 200		1860	2070	µg/g	89.9	70 - 130	
2-Butanol	ND	< 200		1990	2110	µg/g	94.3	70 - 130	
Tetrahydrofuran	ND	< 100		737	825	µg/g	89.3	70 - 130	
Cyclohexane	ND	< 200		1840	2080	µg/g	88.5	70 - 130	
Benzene	ND	< 1		29.2	33.6	µg/g	86.9	70 - 130	
Isopropyl Acetate	ND	< 200		1940	2120	µg/g	91.5	70 - 130	
Heptane	ND	< 200		1840	2080	µg/g	88.5	70 - 130	
1,4-Dioxane	ND	< 100		727	817	µg/g	89.0	70 - 130	
2-Ethoxyethanol	ND	< 30		2030	2080	µg/g	97.6	70 - 130	
Ethylene Glycol	ND	< 100		631	818	µg/g	77.1	70 - 130	
Toluene	ND	< 200		726	820	µg/g	88.5	70 - 130	
Ethylbenzene	ND	< 200		1500	1680	µg/g	89.3	70 - 130	
m,p-Xylene	ND	< 200		1500	1650	µg/g	90.9	70 - 130	
o-Xylene	ND	< 200		1540	1670	µg/g	92.2	70 - 130	
Cumene	ND	< 30		286	322	µg/g	88.8	70 - 130	



QC - Sample Duplicate

Sample ID: 19-004088-0001

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
n-Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isopropyl alcohol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation
* Screening only
Q1 - Quality Control result biased high. Only non detect samples reported.

Units of Measure:

µg/g - Microgram per gram or ppm
mg/Kg - Milligrams per Kilogram
Aw - Water Activity unit



Job Number: 19-004088
Report Number: 19-004088-00
Report Date: 04/19/2019
ORELAP#: OR100028
Purchase Order:
Received: 04/12/19 12:17

Revision: 0.01 Control: CFL-C22
Revised: 12/4/2018 Effective: 12/4/2018

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662			Units: mg/Kg		Batch ID: 1903259			
Method Blank				Laboratory Control Sample				
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Acephate	ND	< 0.200		1.020	1.000	102.0	70 - 130	
Acequinocyl	ND	< 1.000		4.740	4.000	118.5	70 - 130	
Acetamiprid	ND	< 0.100		0.418	0.400	104.5	70 - 130	
Aldicarb	ND	< 0.200		0.835	0.800	104.4	70 - 130	
Abamectin	ND	< 0.288		1.060	1.000	106.0	70 - 130	
Azoxystrobin	ND	< 0.100		0.426	0.400	106.5	70 - 130	
Bifenazate	ND	< 0.100		0.412	0.400	103.0	70 - 130	
Bifenthrin	ND	< 0.100		0.433	0.400	108.3	70 - 130	
Boscalid	ND	< 0.100		0.859	0.800	107.4	70 - 130	
Carbaryl	ND	< 0.100		0.409	0.400	102.3	70 - 130	
Carbofuran	ND	< 0.100		0.449	0.400	112.3	70 - 130	
Chlorantraniliprol	ND	< 0.100		0.409	0.400	102.3	70 - 130	
Chlorfenapyr	ND	< 1.000		2.490	2.000	124.5	70 - 130	
Chlorpyrifos	ND	< 0.100		0.465	0.400	116.3	70 - 130	
Clofentezine	ND	< 0.100		0.416	0.400	104.0	70 - 130	
Cyfluthrin	ND	< 1.000		2.180	2.000	109.0	30 - 150	
Cypermethrin	ND	< 1.000		2.180	2.000	109.0	70 - 130	
Daminozide	ND	< 1.000		2.160	2.000	108.0	30 - 150	
Diazinon	ND	< 0.100		0.407	0.400	101.8	70 - 130	
Dichlorvos	ND	< 0.500		2.300	2.000	115.0	70 - 130	
Dimethoat	ND	< 0.100		0.418	0.400	104.5	70 - 130	
Ethoprophos	ND	< 0.100		0.401	0.400	100.3	70 - 130	
Etofenprox	ND	< 0.100		0.949	0.800	118.6	70 - 130	
Etoxazol	ND	< 0.100		0.424	0.400	106.0	70 - 130	
Fenoxycarb	ND	< 0.100		0.409	0.400	102.3	70 - 130	
Fenpyroximat	ND	< 0.100		0.916	0.800	114.5	70 - 130	
Fipronil	ND	< 0.100		0.845	0.800	105.6	70 - 130	
Flonicamid	ND	< 0.400		0.877	1.000	87.7	70 - 130	
Fludioxonil	ND	< 0.100		0.929	0.800	116.1	70 - 130	
Hexythiazox	ND	< 0.400		1.190	1.000	119.0	70 - 130	
Imazalil	ND	< 0.100		0.461	0.400	115.3	70 - 130	
Imidacloprid	ND	< 0.200		0.786	0.800	98.3	70 - 130	
Kresoxim-Methyl	ND	< 0.100		0.844	0.800	105.5	70 - 130	
Malathion	ND	< 0.100		0.416	0.400	104.0	70 - 130	
Metaxyl	ND	< 0.100		0.425	0.400	106.3	70 - 130	
Methiocarb	ND	< 0.100		0.408	0.400	102.0	70 - 130	
Methomyl	ND	< 0.200		0.828	0.800	103.5	70 - 130	
MGK 264	ND	< 0.100		0.452	0.400	113.0	70 - 130	
Myclobutanil	ND	< 0.100		0.389	0.400	97.3	70 - 130	
Naled	ND	< 0.200		1.000	1.000	100.0	70 - 130	
Oxamyl	ND	< 0.400		2.190	2.000	109.5	70 - 130	
Paclobutrazol	ND	< 0.200		0.856	0.800	107.0	70 - 130	
Parathion Methyl	ND	< 0.200		0.747	0.800	93.4	30 - 150	
Permethrin	ND	< 0.100		0.418	0.400	104.5	70 - 130	
Phosmet	ND	< 0.100		0.421	0.400	105.3	70 - 130	
Piperonyl butoxide	ND	< 1.000		2.590	2.000	129.5	70 - 130	
Prallethrin	ND	< 0.200		0.430	0.400	107.5	70 - 130	
Propiconazole	ND	< 0.200		0.837	0.800	104.6	70 - 130	
Propoxur	ND	< 0.100		0.425	0.400	106.3	70 - 130	
Pyrethrins	ND	< 0.500		0.332	0.284	116.9	70 - 130	
Pyridaben	ND	< 0.100		0.621	0.400	155.3	70 - 130	Q1
Spinosad	ND	< 0.100		0.497	0.388	128.1	70 - 130	
Spiromesifen	ND	< 0.100		0.441	0.400	110.3	70 - 130	
Spirotetramat	ND	< 0.100		0.391	0.400	97.8	70 - 130	
Spiroxamine	ND	< 0.100		0.821	0.800	102.6	70 - 130	
Tebuconazol	ND	< 0.200		0.901	0.800	112.6	70 - 130	
Thiacloprid	ND	< 0.100		0.417	0.400	104.3	70 - 130	
Thiamethoxam	ND	< 0.100		0.392	0.400	98.0	70 - 130	
Trifloxystrobin	ND	< 0.100		0.447	0.400	111.8	70 - 130	



Job Number: 19-004088
Report Number: 19-004088-00
Report Date: 04/19/2019
ORELAP#: OR100028
Purchase Order:
Received: 04/12/19 12:17

Revision: 0.01 Control: CFL-C22
Revised: 12/4/2018 Effective: 12/4/2018

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg				Batch ID: 1903259			
Matrix Spike/Matrix Spike Duplicate Recoveries					Sample ID: 19-004088-0002				
Analyte	Result	MS Res	MSD Res	Spike	RPD%	MS % Rec	MSD % Rec	Limits	Notes
Acephate	0.000	0.728	0.760	1.000	4.3	< 30	72.8	76.0	50 - 150
Acequinocyl	0.000	4.870	4.640	4.000	4.8	< 30	121.8	116.0	50 - 150
Acetamiprid	0.000	0.430	0.427	0.400	0.7	< 30	107.5	106.8	50 - 150
Aldicarb	0.000	0.848	0.850	0.800	0.2	< 30	106.0	106.3	50 - 150
Abamectin	0.000	1.310	1.310	1.000	0.0	< 30	131.0	131.0	50 - 150
Azoxystrobin	0.000	0.499	0.512	0.400	2.6	< 30	124.8	128.0	50 - 150
Bifenazate	0.000	0.407	0.416	0.400	2.2	< 30	101.8	104.0	50 - 150
Bifenthrin	0.000	1.790	1.680	0.400	6.3	< 30	447.5	420.0	50 - 150
Boscalid	0.000	0.829	0.823	0.800	0.7	< 30	103.6	102.9	50 - 150
Carbaryl	0.000	0.422	0.421	0.400	0.2	< 30	105.5	105.3	50 - 150
Carbofuran	0.000	0.455	0.455	0.400	0.0	< 30	113.8	113.8	50 - 150
Chlorantraniliprol	0.000	0.392	0.388	0.400	1.0	< 30	98.0	97.0	50 - 150
Chlorfenapyr	0.000	2.920	3.010	2.000	3.0	< 30	146.0	150.5	50 - 150
Chlorpyrifos	0.000	0.453	0.464	0.400	2.4	< 30	113.3	116.0	50 - 150
Clofentezine	0.000	0.500	0.482	0.400	3.7	< 30	125.0	120.5	50 - 150
Cyfluthrin	0.000	4.340	4.260	2.000	1.9	< 30	217.0	213.0	30 - 150
Cypermethrin	0.000	1.770	1.810	2.000	2.2	< 30	88.5	90.5	50 - 150
Daminozide	0.000	1.950	1.950	2.000	0.0	< 30	97.5	97.5	30 - 150
Diazinon	0.000	0.438	0.452	0.400	3.1	< 30	109.5	113.0	50 - 150
Dichlorvos	0.000	2.210	2.440	2.000	9.9	< 30	110.5	122.0	50 - 150
Dimethoat	0.000	0.431	0.426	0.400	1.2	< 30	107.8	106.5	50 - 150
Ethoprophos	0.000	0.458	0.440	0.400	4.0	< 30	114.5	110.0	50 - 150
Etofenprox	0.000	0.927	0.892	0.800	3.8	< 30	115.9	111.5	50 - 150
Etoxazol	0.000	0.496	0.513	0.400	3.4	< 30	124.0	128.3	50 - 150
Fenoxycarb	0.000	0.407	0.413	0.400	1.5	< 30	101.8	103.3	50 - 150
Fenpyroximat	0.000	1.160	1.160	0.800	0.0	< 30	145.0	145.0	50 - 150
Fipronil	0.000	0.971	0.932	0.800	4.1	< 30	121.4	116.5	50 - 150
Flonicamid	0.000	1.030	1.050	1.000	1.9	< 30	103.0	105.0	50 - 150
Fludioxonil	0.000	0.923	0.869	0.800	6.0	< 30	115.4	108.6	50 - 150
Hexythiazox	0.000	1.420	1.390	1.000	2.1	< 30	142.0	139.0	50 - 150
Imazalil	0.000	0.488	0.488	0.400	0.0	< 30	122.0	122.0	50 - 150
Imidacloprid	0.000	0.861	0.840	0.800	2.5	< 30	107.6	105.0	50 - 150
Kresoxim-Methyl	0.000	0.907	0.926	0.800	2.1	< 30	113.4	115.8	50 - 150
Malathion	0.000	0.451	0.436	0.400	3.4	< 30	112.8	109.0	50 - 150
Metaxalyl	0.000	0.458	0.457	0.400	0.2	< 30	114.5	114.3	50 - 150
Methiocarb	0.003	0.452	0.433	0.400	4.3	< 30	112.1	107.4	50 - 150
Methomyl	0.000	0.852	0.820	0.800	3.8	< 30	106.5	102.5	50 - 150
MGK 264	0.000	0.488	0.487	0.400	0.2	< 30	122.0	121.8	50 - 150
Myclobutanil	0.000	0.413	0.429	0.400	3.8	< 30	103.3	107.3	50 - 150
Naled	0.000	1.080	1.090	1.000	0.9	< 30	108.0	109.0	50 - 150
Oxamyl	0.000	2.070	2.050	2.000	1.0	< 30	103.5	102.5	50 - 150
Paclobutrazol	0.000	0.929	0.906	0.800	2.5	< 30	116.1	113.3	50 - 150
Parathion Methyl	0.000	0.713	0.678	0.800	5.0	< 30	89.1	84.8	30 - 150
Permethrin	0.000	0.540	0.524	0.400	3.0	< 30	135.0	131.0	50 - 150
Phosmet	0.000	0.424	0.422	0.400	0.5	< 30	106.0	105.5	50 - 150
Piperonyl butoxide	0.000	2.910	2.990	2.000	2.7	< 30	145.5	149.5	50 - 150
Prallethrin	0.000	0.502	0.519	0.400	3.3	< 30	125.5	129.8	50 - 150
Propiconazole	0.000	0.933	0.941	0.800	0.9	< 30	116.6	117.6	50 - 150
Propoxur	0.000	0.431	0.435	0.400	0.9	< 30	107.8	108.8	50 - 150
Pyrethrins	0.000	0.607	0.650	0.284	6.8	< 30	213.7	228.9	50 - 150
Pyridaben	0.008	0.526	0.520	0.400	1.1	< 30	129.6	128.1	50 - 150
Spinosad	0.000	0.512	0.524	0.388	2.3	< 30	132.0	135.1	50 - 150
Spiromesifen	0.000	0.546	0.529	0.400	3.2	< 30	136.5	132.3	50 - 150
Spirotetramat	0.000	0.325	0.341	0.400	4.8	< 30	81.3	85.3	50 - 150
Spiroxamine	0.000	0.834	0.861	0.800	3.2	< 30	104.3	107.6	50 - 150
Tebuconazol	0.000	1.060	0.981	0.800	7.7	< 30	132.5	122.6	50 - 150
Thiacloprid	0.000	0.421	0.429	0.400	1.9	< 30	105.3	107.3	50 - 150
Thiamethoxam	0.000	0.414	0.410	0.400	1.0	< 30	103.5	102.5	50 - 150
Trifloxystrobin	0.000	0.493	0.505	0.400	1.6	< 30	123.3	126.3	50 - 150


Laboratory Quality Control Results
J AOAC 2015 V98-6 **Batch ID: 1903282**
Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDV-A	0.00992	0.01	%	99.2	85 - 115	Acceptable	
CBDV	0.0106	0.01	%	106	85 - 115	Acceptable	
CBD-A	0.0101	0.01	%	101	85 - 115	Acceptable	
CBG-A	0.00990	0.01	%	99.0	85 - 115	Acceptable	
CBG	0.0102	0.01	%	102	85 - 115	Acceptable	
CBD	0.00995	0.01	%	99.5	85 - 115	Acceptable	
THCV	0.0102	0.01	%	102	85 - 115	Acceptable	
THCVA	0.0101	0.01	%	101	85 - 115	Acceptable	
CBN	0.0108	0.01	%	108	85 - 115	Acceptable	
THC	0.0104	0.01	%	104	85 - 115	Acceptable	
D8THC	0.00975	0.01	%	97.5	85 - 115	Acceptable	
CBL	0.00952	0.01	%	95.2	85 - 115	Acceptable	
CBC	0.0105	0.01	%	105	85 - 115	Acceptable	
THCA	0.0105	0.01	%	105	85 - 115	Acceptable	
CBCA	0.00909	0.01	%	90.9	85 - 115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDV-A	ND	0.003	%	< 0.003	Acceptable	
CBDV	ND	0.003	%	< 0.003	Acceptable	
CBD-A	ND	0.003	%	< 0.003	Acceptable	
CBG-A	ND	0.003	%	< 0.003	Acceptable	
CBG	ND	0.003	%	< 0.003	Acceptable	
CBD	ND	0.003	%	< 0.003	Acceptable	
THCV	ND	0.003	%	< 0.003	Acceptable	
THCVA	ND	0.003	%	< 0.003	Acceptable	
CBN	ND	0.003	%	< 0.003	Acceptable	
THC	ND	0.003	%	< 0.003	Acceptable	
D8THC	ND	0.003	%	< 0.003	Acceptable	
CBL	ND	0.003	%	< 0.003	Acceptable	
CBC	ND	0.003	%	< 0.003	Acceptable	
THCA	ND	0.003	%	< 0.003	Acceptable	
CBCA	ND	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



J AOAC 2015 V98-6					Batch ID: 1903282			
Sample Duplicate					Sample ID: 19-004051-0003			
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDV-A	ND	ND	0.003	%	0	< 20	Acceptable	
CBDV	ND	ND	0.003	%	0	< 20	Acceptable	
CBD-A	ND	ND	0.003	%	0	< 20	Acceptable	
CBG-A	0.00546	0.0049	0.003	%	10.8	< 20	Acceptable	
CBG	0.0402	0.0382	0.003	%	5.10	< 20	Acceptable	
CBD	0.225	0.211	0.003	%	6.42	< 20	Acceptable	
THCV	0.00949	0.00903	0.003	%	4.97	< 20	Acceptable	
THCVA	ND	ND	0.003	%	0	< 20	Acceptable	
CBN	ND	ND	0.003	%	0	< 20	Acceptable	
THC	0.821	0.771	0.003	%	6.28	< 20	Acceptable	
D8THC	ND	ND	0.003	%	0	< 20	Acceptable	
CBL	ND	ND	0.003	%	0	< 20	Acceptable	
CBC	0.0273	0.0257	0.003	%	6.04	< 20	Acceptable	
THCA	0.0101	0.00941	0.003	%	7.07	< 20	Acceptable	
CBCA	ND	ND	0.003	%	0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.